



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

(1946)

5. Prope colles arenosos venis non patentibus per fabulum quasi colaturā trajectas collegi aquas hujus scatuginis.
6. Physicas ob causas imminentē tempestate sicciorē, augeri vel abscendere posse eas aquas, pluviosā iterum decidere, quæ prolixius deducere alterius erit temporis & instituti

Sapienti interea sat dictum ratus, hisce accurate per pensis non statim profici reputanda confido, quæ rationi non extemplo patescunt.

Pauca hæc de *Vettero* animus fuit referre, ut non minus quid veri de eodem traditum fuerit elucescat, quam fide temerè indignum non censeatur, quidquid primus non percipit intuitus. Multa sic penitus indagari deberent, quæ ab *Olae Magno* descripta ad fabularum seriem vulgo rediguntur, quæ veritati tamen consona hyperbolice non-nunquam ab eodem proferuntur.

IV. Experiments on the Resilition of Bodies in Common Air, in Vacuo and in Air Condens'd, made at a meeting of the Royal Society at Gresham College. By Mr Francis Hauksbee.

Having provided a tall Glass Recipient, in whose upper part I had a contrivance to lodge 4 Marbles, and from thence successively could drop them on a Plane at pleasure ; by which means, opportunity was given to make the more deliberate observations. But before I proceed to relate the Experiments themselves, I think it will be necessary first to take notice, that the distance of the descent of each Marble on the Plane was about $13\frac{1}{2}$ inches. The weight of two Marbles 59 Grains, the other two 63 Grains ;

(1947)

Grains; being all of the sort generally sold at Toy-shops. The Plane whereon they dropt was a round flat piece of solid Glass, about an inch thick, and $3\frac{1}{2}$ over; whose upper surface was well Grownd and Polisht. It was fix'd in a Tin frame, contriv'd on purpose to keep its lower surface from being contiguous to the Plate or Leather, on which the Recipient was plac'd; (which I mention purposely, lest any Gentlemen, who may have the curiosity to repeat these Experiments, should fall into an error I very narrowly escap'd) for when first I made these Experiments I us'd a Stone Plane laid carelessly on the Leather that cover'd the Plate; over which the Recipient being plac'd, and the Air exhausted, the descending Marbles would not rebound so high by an inch, as when the Experiment came to be made on the same Plane in common Air; which unexpected Phænomenon gave great umbrage that it might proceed from some unheeded cause, and several reasons were alledg'd against the candour of the Experiment; the principal of which was, that the swelling of the Leather *in vacuo* raised the incumbent Plane, causing it to lye more hollow and soft than it did in the open Air. In order therefore to set the Experiments in a true light, I procured the prementioned Glass Plane, on which, when I came (as before) to drop the Marbles, their Resilition then was something more *in Vacuo* than in common Air (which put it past all doubt, that the Error proceeded from the cause suggested.) Those dropt in common Air had likewise some small advantage in their rebound, above those let fall in Air condensed. The Condensation being but one Atmosphere, not daring to venture more, the breaking of the Recipient being very hazzardous. The Resilition of the Marbles from the Plane *in Vacuo* was about $10\frac{1}{2}$ inches, which was something more than $\frac{1}{2}$ of their descent. In Condensed Air their rebound was about 10 inches. Accordingly we must account their Resilition in Common Air to be the medium of the other two; it being difficult

(1948)

difficult to judge to a nicety in so sudden a motion ; but there was a sensible difference betwixt the rebound of those dropt *in Vacuo*, and those in Air condens'd. I could not observe that the small difference in the weight of the Marbles made any discernable alteration in their Resiliitions.

V. *An Experiment on the descent of Malt dust in the Evacuated Receiver, at Gresham College.* By Mr Fr. Hauksbee.

I Took some Malt dust, and having well dried the same, put a quantity of it into a fine Muslin Bag, where being loosely inclos'd, would upon shaking discover it self plentifully in the open Air, undulating and floating a considerable time before it would descend ; but being included within a Receiver, from which the Air was well exhausted ; and then shaken, the dust descended as a ponderous Body, precipitating in strait lines from the top to the bottom of a tall Receiver.

London, Printed for Sam. Smith and Benj. Walford, Printers to the Royal Society, at the Princes Arms in St Paul's Church-yard, 1705.